

carmen

8024.01 - 8024.09



binder

curtain

sheer/transparent

description

**3-dimensional rib lengthwise with the
brilliance of melting ice**

composition

100% flame retardant polyester

width

± 150 cm, ± 59 inches

weight

± 136 gr/m¹, ± 4 oz/yd¹ fabrics

sound absorption

ISO 354

alphaw 0.50 (pleated)

ASTM C423

nrc 0.30

visual & thermal comfort

EN 410/EN 14501

flame retardancy

EN 13773, class 1

BS 5867 – 2, type C

NF P 92 / 503 – 507, M1

DIN 4102, B1

UNI VF 8456 – 8457, classe 1

NFPA 701

IMO 2010 FTP part 7

CAN ULC S109

colorfastness to crocking

ISO 105 X12

wet 4-5 / dry 4-5 (scale 1-5)

AATCC 8

wet 5 / dry 5 (scale 1-5)

colorfastness to light

ISO 105 B02

5 (scale 1-8)

AATCC 16.3: 60 hours

4 (scale 1-5)

care



shrinkage: warp -0.3% / weft -0.3%



shrinkage: warp -0.6% / weft -0.4%




STANDARD
100
S07-0023
Hohenstein HTTI



carmen

8024.01 - 8024.09



8024.01



8024.02



8024.03




8024.04



8024.05



8024.06



8024.07



8024.08



8024.09