


formoza

8026.01 - 8026.12



binder

curtain

sheer/transparent

description

fabric in which thicker yarns have been woven that provide structure and volume

composition

42% recycled polyester FR / 58% polyester FR

width

± 295 cm, ± 116 inches

weight

± 392 gr/m¹, ± 13 oz/yd¹ fabrics

sound absorption

ISO 354

alphaw 0.80 (pleated)

ASTM C423

nrc 0.75

visual & thermal comfort

EN 410/EN 14501

flame retardancy

EN 13773, class 1

BS 5867 - 2, type C

NF P 92 / 503 - 507, M1

DIN 4102, B1

UNI VF 8456 - 8457, classe 1

NFPA 701

IMO 2010 FTP part 7

CAN ULC S109

colorfastness to crocking

ISO 105 X12

wet 4-5 / dry 4-5 (scale 1-5)

AATCC 8

wet 5 / dry 5 (scale 1-5)

colorfastness to light

ISO 105 B02

5 (scale 1-8)

AATCC 16.3: 60 hours

5 (scale 1-5)

seam slippage

ISO 13936 - 2

warp 2.5 mm / weft 2 mm

care



shrinkage: warp -0.2% / weft -0.1%



shrinkage: warp -0.7% / weft -0.9%



STANDARD
100
S07-0023
Hohenstein HTTI




formoza

8026.01 - 8026.12




8026.01




8026.02



8026.03



8026.04



8026.05



8026.06



8026.07



8026.08




8026.09



8026.10



8026.11



8026.12