

carmen

8024.01 - 8024.09



binder

curtain
sheer/transparent

描述

3-dimensional rib lengthwise with the brilliance
of melting ice

组成

100% 阻燃聚酯纤维

宽度

± 150 cm, ± 59 inches

重量

± 136 gr/m¹, ± 4 oz/yd¹ fabrics

吸声系数

ISO 354
alphaw 0,50 (pleated)
ASTM C423
nrc 0,30

温度及视觉舒适度

EN 410/EN 14501

阻燃

EN 13773, class 1
BS 5867 — 2, type C
NF P 92 / 503 — 507, M1
DIN 4102, B1
UNI VF 8456 — 8457, classe 1
NFPA 701
IMO 2010 FTP part 7
CAN ULC S109

耐擦拭

ISO 105 X12
湿 4-5 / 干 4-5 (由 1-5)
AATCC 8
湿 5 / 干 5 (由 1-5)

耐褪色

ISO 105 B02
5 (由 1-8)
AATCC 16,3: 60 hours
4 (由 1-5)



收缩□：纵向收缩比 -0.3% / 横向收缩比 -0.3%



收缩□：纵向收缩比 -0.6% / 横向收缩比 -0.4%



STANDARD
100
S07-0023
Hohenstein HTTI



carmen

8024.01 - 8024.09

